

CLEAN ROOM HUMIDITY & TEMPERATURE INDICATOR WITH ALARM



Model AI-RHT

The Clean Room Humidity & Temperature Indicator is a classic monitor for the combination display of vital parameters of Temperature & Humidity in Clean Room Environments.

Designed for easy fitment onto modular clean room wall panels & also for brick walls (using wall concealed boxes), it has a front flush stainless steel front plate for aesthetic blending onto clean room walls.

With standout features like in-built buzzer alarm for process violation alert & industry standard RS 485 Modbus Communication, the clean room humidity & temperature indicator makes it a must have for clean room monitoring of temperature & humidity in Pharma Clean Room, HVAC applications, green houses, BMS projects, etc.



Technical Specifications :

Sensor Type

- :
- 1) **Model AI-RHT** : Built In Polymer Capacitive Combination Sensor for Temperature & Relative humidity
 - 2) **Model AI-RHT1** : External Combination Humidity & Temperature Sensor in choice of Wall Mounting or Pipe Type Enclosures

Range	:	1) -30.0 to +60.00C typical for Temperature (Other Ranges on request) 2) 0.0 to 100.0%RH typical for Relative humidity Non Condensing
Communication	:	Optional RS 485 Modbus Protocol Communication for BMS/SCADA
Resolution	:	Fixed 0.1 for both Temperature & Relative humidity
Accuracy	:	1) ± 0.5 C for -30.0 to +60.0 Deg. C for Temperature 2) $\pm 1.8\%$ for 10 to 95% RH for Relative humidity $\pm 2\%$ for all other ranges.
Display	:	2 X 4 Digit RED LED Display of Height 0.4" (1 Each for Humidity & Temperature)
Supply Voltage	:	24VDC / 200mA , Optional 230 VAC Adaptor Provided alongwith
Mounting	:	Clean Room Modular Wall Flush Mounting with Integrated Sensor/Optional Brick Wall Mounting
Cable Connection	:	Terminal Connectors for Power Input & Communication at Rear
Buzzer Alarm	:	Built – in Buzzer Alarm for Hi & Lo Alarm Limit Violation alert for humidity & temperature with Acknowledgement Key on front panel. Alarm Limits are front key programmable .
Dimension	:	80(W) X 55(H) X 35(D) in mm. (M.S. Powder Coated Back Body Enclosure) 110(W) x 90 (H) for Front Flush Stainless Steel Modular Plate
Cabinet	:	Stainless Steel Front Flush Plate for Clean Rooms, M.S. Powder Coated Body Enclosure for Modular Wall Fitment
Weight	:	350g. Approx.



Manufactured By :
ACE INSTRUMENTS

(An ISO 9001-2008 Certified Company)

Plot No.77, Shaktipuram, Industrial Estate Kukatpally, Prashantinagar, Hyderabad – 500072. India.

Phones : +91-40-23078848,23078849, 32901226 Fax : +91-40-23830848

Email : sales@alwaysace.com Website : www.alwaysace.com